



SCORPION 62 TRAILER










Trailer

Petrol Driven

Cold Water

Daily Usage









The Jetwave® Scorpion G2 Trailer is designed and built to Australian conditions from the best quality components. A turn key purpose built solution for portable plumbing fleet water jetting, featuring the next generation of innovative water jetters boasting the best technology, safety and performance.

MODELS

SCOZPION 62

4000 PSI ● 20 L/PM FIND OUT MORE

4350 PSI ● 26 L/PM FIND OUT MORE

5000 PSI ● 16 L/PM FIND OUT MORE *

5075 PSI • 23 L/PM FIND OUT MORE *

SCORPION G2FI

4350 PSI • 31 L/PM

5075 PSI • 25 L/PM FIND OUT MORE *



STANDOUT FEATURES



Quick release fow coupling with 50mm ball.



Heavy duty jockey wheel.



Full galvanised construction.



Sunraysia style wheels.



Heavy duty tyres.



Polyethylene 200L water tank and top fill.



Trailer lead-7 pin male plug.



Heavy duty washable water inlet filter.



Multi voltage 12/24v LED lights recessed to protect.



Bypass back into tank.



Low level water cut out protection.




High flow float valve auto shut off, for water inlet.



Professional high & low pressure duty hose reels

- 30m for low pressure inlet water feed
- 60m for high pressure primary hose water outlet






























Jetwave Group 10-16 Smith Street Thebarton I

Adelaide | South Australia | 5031 | AU +61 8 8371 3599

sales@jetwave.com.au

jetwave.com.au

2x Pro Rapid Style Hose Reels - 60m 3/8" Water jetting high pressure hose & 30m 3/4" low pressure inlet hose.



Water Tank - 200L for water cartage




Remote Reel Locking Plate
- Locking plate for to secure
remote reel



STANDARD EQUIPMENT

Product Code	p/n	TRS-KIT1
TRAILER FEATURES		
Origin	country	Made in Australia
Axle	no.	1
Wheels	type	6 Stud Sunraysia Light Truck
Axle Thickness	type	45mm With HD Bearings
Light Voltage	type	Multi Voltage 12/24v LED
Spare Wheel	y / n	N
Material Finish	type	Galvanised
Trailer Rating	weight	750kg
Tow Hitch	type	50mm Ball Coupling
Jockey Wheel	type	AL-KO or equivalent
Suspension System	type	5 Leaf Slipper
WATER TANK FEATURES		
Origin	country	Australian
Tank Fill Lid	type	Connected
UV Stabilised	y / n	Υ
Tank Capacity	litres	200
DIMENSIONS & WEIGHT		
Approx Weight	kg	450 (dry) / 650 (wet)
Unit Dimensions	mm	2700(L) x 1800(W) x 1600(H)
WARRANTY(S)		
Trailer Warranty	year	1 🕌
Water Cartage Tank Warranty	years	15



OPTIONAL EQUIPMENT

